



SEPARATING PEOPLE FROM HAZARDS

Safe Access Platforms



- MULTI-PURPOSE ACCESS PLATFORMS ACCOMMODATE ANY ROOF DESIGN
- LONG-LASTING, CORROSION-RESISTANT ALUMINUM OR GALVANIZED STEEL
- ENGINEERED TO MEET OSHA SAFETY REQUIREMENTS
- DELIVERY: FULLY PRE-BUILT SYSTEM, IN MODULAR SECTIONS OR PARTIALLY ASSEMBLED FLAT PANELS

Safe Access Platforms

Rooftop Step-Overs



Rooftop Obstructions

Get Over It.

Safe Access Platforms are custom built solutions that meet the specific requirements of your rooftop surface and provide a safe route over pipework, HVAC and other rooftop obstructions.

All Kee Safety platforms are engineered to meet OSHA safety standards and designed for maximum durability.



Level Changes

We've Got This.

Every rooftop is different. Shape and surface transitions require a step-over system that securely maneuvers changes in level and height. Safe Access Platforms exceed the capabilities of other customized, fabricated, off-the-shelf platforms.



Modular Design

Powerfully Uncomplicated.

Each Safe Access Platform is specifically designed to suit your unique applications and criteria. Utilizing modular components allows us to design secure structures that are reliable, flexible and support your critical safety needs. With minimal on-site disruption, that makes installation easy.




System Solutions

Safety Through Integration.

Using Crossovers may provide a safe and efficient path across the rooftop than was previously possible.

Optimum fall protection requires seamless integration with products that are engineered to save lives. Safe Access Platforms work with Kee Walk, KeeLine and Kee Guard fall protection systems to establish a secure and dependable work space on the roof.





Providing Safe Access Over Rooftop Obstructions and Changes in Level


Kee Safety Step-Overs provide a safe route over objects and obstructions on the rooftop. Accommodates metal profile, standing seam and other roof styles without penetrating the roof membrane.

Features

- Available in Aluminum or Galvanized Steel for long lasting protection
- Modular system is fully customizable
- Deliverable as pre-assembled, or modular sections or in flat pack containers
- Compliant with OSHA safety standards


Benefits

- Excellent strength and corrosion resistance
- Non-penetrating system: no roof leaks
- Modular components for easy installation
- Approved for all roof types



OSHA Compliant

Safe Access Platforms are designed and constructed to meet OSHA safety standards for rooftop fall protection.



Design Options

- **Flooring:** high grade nylon treads, checker plate or grating
- **Base Feet:** Roof mounted, fixed feet, or a combination of both
- **Platform Size:** Variable heights, variable lengths - customizable

Delivery and Installation

All Kee Safety custom-designed platforms are delivered with detailed drawings clearly showing how the platform is assembled for the highest level of safety.

The full range of components, railing, stair treads, flooring and toe boards are in-stock for fast delivery. Smaller platforms can be delivered fully assembled and will only require a routine inspection before use.

Larger platforms can be delivered semi-assembled in modular sections or as components in a flat pack container. Kee Safety professional installers will assemble the platform in position on the roof site for you.

The Hierarchy of Fall Protection:

Fall protection is a system designed to protect personnel from the risk of falls when working at elevated heights

REDUCE RISK ON YOUR ROOFTOP

HIERARCHY OF FALL PROTECTION

1 ELIMINATE HAZARDS ★★★★★




- The safest way to protect people from falling is to remove the hazard completely

2 COLLECTIVE ★★★
OSHA: PASSIVE





- Fall protection guardrails are the most common example of a collective system
- This solution protects everyone “collectively”
- OSHA: “passive” - as no training or user competency is required
- Ensures everyone on the roof is protected



3 WORK RESTRAINT ★★
OSHA: ACTIVE

- A restraint system engineered to prevent a fall from occurring
- Uses personal fall arrest equipment (harness, lanyard, and anchor point)
- The user cannot reach the edge of the roof
- Ability to work freely within the safe zone of the roof surface
- Work Restraint is the preferred system to mitigate the possibility of a fall

4 FALL ARREST SYSTEM ★
OSHA: PERSONAL FALL ARREST



- Fall Arrest’s purpose is to save a worker’s life in the event of a fall
- This System is designed so a fall is possible - but the fall is “arrested” or interrupted
- The fall occurs within an acceptable force and calculated fall distance
- Additional training and a high level of user competency is required



USA
Kee Safety, Inc.
100 Stradtman Street
Buffalo, NY 14206
Tel: (716) 896 4949
Fax: (716) 896 5696
Toll Free: (800) 851 5181

www.keesafety.com
Email: info@keesafety.com

Canada
Kee Safety, Ltd.
40 North Rivermede Road, Units 6 - 7
Concord, Ontario L4K 2H3
Tel: (905) 669 1494
Fax: (905) 669 4347
Toll Free: (877) 505 5003

Kee Klamp, Kee Lite, Kee Stainless, KeeGuard, Kee Dome, Kee Hatch, Kee Mark, Kee Access, Kwik Kit, Kee Anchor, Weightanka, Wireanka, KeeLine, Kee Walk and Kee Projects are all registered trademarks of Kee Safety Ltd, Beam Clamp, and Box Bolt are all registered trademarks of Access Technologies Ltd, a subsidiary of Kee Safety International Ltd. While every effort has been made to ensure the accuracy of the information contained in this brochure, Kee Safety, Inc cannot be held responsible for any errors or omissions. Kee Safety, Inc reserves the right to alter or withdraw products without prior notice. Kee Safety, Inc does not accept responsibility for any loss or damage arising from improper use of its products.
Copyright 2018 Kee Safety, Inc. All Rights Reserved.